

Medical Surgical Nursing Fourth Edition

[#Medical Surgical Nursing](#) [#Med-Surg Nursing Textbook](#) [#Adult Health Nursing Guide](#) [#Nursing Care Plans](#) [#Clinical Practice Nursing](#)

Dive deep into essential Medical Surgical Nursing principles with this comprehensive fourth edition. An invaluable Med-Surg Nursing Textbook, it serves as a complete adult health nursing guide, featuring detailed nursing care plans and fostering critical clinical practice nursing skills for effective patient management.

We ensure all dissertations are authentic and academically verified.

Thank you for visiting our website.

You can now find the document Medical Surgical Nursing you've been looking for. Free download is available for all visitors.

We guarantee that every document we publish is genuine.

Authenticity and quality are always our focus.

This is important to ensure satisfaction and trust.

We hope this document adds value to your needs.

Feel free to explore more content on our website.

We truly appreciate your visit today.

This document remains one of the most requested materials in digital libraries online.

By reaching us, you have gained a rare advantage.

The full version of Medical Surgical Nursing is available here, free of charge.

Medical Surgical Nursing Fourth Edition

surgery. The adjective surgical means pertaining to surgery; e.g. surgical instruments, surgical facility or surgical nurse. Most surgical procedures are performed... 100 KB (11,731 words) - 16:57, 12 March 2024

of the eyelid. Dilation and curettage Mosby's Medical, Nursing & Allied Health Dictionary, Fourth Edition, Mosby-Year Book 1994, p. 422 "Science & Technology :... 3 KB (300 words) - 01:57, 7 August 2023

Dictionary of Medicine, Nursing, and Allied Health Taber's Cyclopedic Medical Dictionary The Modern Home Physician Current Medical Diagnosis and Treatment... 28 KB (2,603 words) - 21:31, 22 January 2024

consisted of nursing in families, physiological subjects, food for the sick, surgical nursing, child-bed nursing, disinfectants, and general nursing. Outside... 20 KB (2,321 words) - 01:16, 14 March 2024
open surgical procedure to occlude the duct by suturing tightly around it). Chyme Mosby's Medical, Nursing and Allied Health Dictionary, Fourth Edition, Mosby-Year... 3 KB (353 words) - 23:11, 7 May 2022

of Surgical Patients with Non-small Cell Lung Cancer (NSCLC). pp. 47–55. Issues in Gastroenterology and Hepatology: 2011 Edition. ScholarlyEditions; 9... 11 KB (1,026 words) - 23:44, 13 January 2024
School of Nursing, School of Pharmacy—and is located on the MCV Campus, adjacent to the Virginia BioTechnology Research Park. VCU Medical Center has... 30 KB (3,541 words) - 01:36, 18 January 2024

supervising nurse for a cardiac surgical unit from Charlotte, North Carolina who is stranded in Black Mountain on her way to a medical conference in Asheville... 12 KB (1,623 words) - 16:50, 18 September 2023

pioneer in the use of illustrations and photographs in surgical textbooks. Hamilton was born to a medical missionary. He had a brother who died aged two days... 6 KB (654 words) - 05:50, 8 June 2023
separated the standards of proper Hippocratic medical conduct and its fundamental medical and surgical principles from other practitioners of folk medicine... 78 KB (8,838 words) - 06:18, 19 February

2024

mammoplasty on self-esteem and sexuality: A quantitative analysis". Plastic Surgical Nursing. 27 (1): 16–36. doi:10.1097/01.PSN.0000264159.30505.c9. PMID 17356451... 123 KB (14,341 words) - 15:24, 28 February 2024

warrant caution in the use of surgical uterine evacuation and should encourage safer surgical techniques as well as medical methods. Averbach SH, Seidman... 204 KB (20,845 words) - 19:49, 10 March 2024

Retrieved December 14, 2017. Daniels R, Nicoll LH (2011). Contemporary Medical-Surgical Nursing. Cengage Learning. p. 1776. ISBN 978-1-133-41875-7. Archived from... 172 KB (17,732 words) - 18:21, 13 March 2024

Tracheotomy (/ˈtʃɹeɪkɪˈoʊmi/, UK also /ˈtʃɹæki-/), or tracheostomy, is a surgical airway management procedure which consists of making an incision (cut)...

Cure – is a substance or procedure that ends a medical condition, such as a medication, a surgical operation, a change in lifestyle or even a philosophical... 257 KB (29,222 words) - 16:17, 1 February 2024

assistants/Sub Assistant Community Medical Officer in Bangladesh Medical Assistants in Fiji Assistant Medical Officers in Malaysia Surgical Technologists in Mozambique... 99 KB (10,219 words) - 19:31, 13 December 2023

patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff". Br J Ophthalmol. 84 (7): 782–785. doi:10.1136/bjo.84.7.782... 21 KB (2,223 words) - 12:56, 21 November 2023

practitioner program. Previously, in 2012, the nursing specialties were ranked as #1 for adult/medical--surgical nurse, family nurse practitioner and psychiatric/mental... 88 KB (9,399 words) - 15:13, 2 March 2024

Sulphuric Ether by Inhalation as an Anesthetic in Surgical Operations". Southern Medical and Surgical Journal. 5: 705–13. "Miniature Portrait of Horace... 74 KB (8,530 words) - 21:35, 8 March 2024

of medical reasons for circumcision... Bolnick DA, Katz KE (2012). "Jewish Ritual Circumcision". In Bolnick DA, Koyle M, Yosha A (eds.). Surgical Guide... 142 KB (15,918 words) - 08:09, 16 March 2024

Medical Surgical Nursing for NCLEX, ATI and HESI - Medical Surgical Nursing for NCLEX, ATI and HESI by Nexus Nursing 59,438 views 1 year ago 33 minutes - Learn how to provide safe, quality **medical surgical nursing**, care to patients. This video covers content that is often found on ...

1. Position the head of bed 90 degrees for meals. 2. Give only solid foods 3. Give only thick liquids 4. Use a feeding tube

Perform range of motion every 4 hours on the ankle 4. Position the foot below the level of the heart.

1. Getting sun exposure 15 minutes each day. 2. Washing with soap and water. 3. Taking an antimalarial drug 4. Getting a varicella vaccine

1. Apply warm blankets. 2. Check oxygen saturation on finger. 3. Encourage deep breathing. 4. Check blood sugar.

Test Bank Understanding Medical Surgical Nursing 4th Edition By Williams & Hopper - Test Bank Understanding Medical Surgical Nursing 4th Edition By Williams & Hopper by theresa nurse 2,124 views 10 years ago 21 seconds - Test Bank Understanding **Medical Surgical Nursing 4th Edition**, By Williams & Hopper.

Medical-Surgical Nursing Exam Review: Endocrine Disorders - MED-ED - Medical-Surgical Nursing Exam Review: Endocrine Disorders - MED-ED by MED-ED 72,110 views 5 years ago 59 minutes - Module 7 of 11 Module Description This session will reacquaint participants with endocrine disorders that are often included in the ...

Intro

Thyroid Disorders

Hyperthyroidism

Hypothyroidism

Common Findings

Pearls

Cushing's Syndrome

Signs and Symptoms

Nursing Considerations

Etiologies of Hypoglycemia

Diabetes Mellitus

Pathophysiology of DKA

Manifestations

Treatment

Hyperosmolar Hyperglycemic Syndrome (HHS)

Considerations for Acute Hyperglycemic States

Diabetes Education

Medications

DI: Signs & Symptoms

Diagnosis

SIADH (Syndrome of Inappropriate Antidiuretic Hormone)

Considerations for Fluid Balance Disorders

Endocrine Q&A

Which of the following is a feature of hyperosmolar hyperglycemic syndrome?

Medical Surgical Nursing - Medical Surgical Nursing by Nexus Nursing 45,995 views 2 years ago

28 minutes - This video covers **medical surgical nursing**,, diagnostic tests, nursing interventions, medications and patient teaching. This video ...

Monitor the Aminoglycoside Peak Level

Check the Client's Culture and Sensitivity Report

Pupil Size and Accommodation

Synthroid

Signs and Symptoms of Hyperthyroidism

How to Study For Medical Surgical Nursing | Passing Med Surg in Nursing School - How to Study

For Medical Surgical Nursing | Passing Med Surg in Nursing School by RegisteredNurseRN 840,765

views 8 years ago 16 minutes - This video discusses how to study for **medical surgical nursing**, as a nursing student in nursing school. These tips will help guide ...

Why Do Students Struggle in this Class

Common Mistakes

Read every Chapter Word by Word

How Do You Study

Saunders Comprehensive Inc Lex Review Guide

The Study Guide

Intervention

Medical Surgical Nursing Exam 4 (64) - Medical Surgical Nursing Exam 4 (64) by Nursing Practice Exam 3,105 views 2 years ago 37 minutes - Take this free **Medical Surgical Nursing**, Exam to see what types of questions are on the **Medical Surgical Nursing**, Exam.

Intro

Postoperative thyroidectomy nursing care includes which measures?

What would the nurse note as typical findings on the assessment of a client with acute pancreatitis?

A client is found to be comatose and hypoglycemic with a blood sugar level 50 mg/dl. What nursing action is implemented first?

Which medication will the nurse have available for the emergency treatment of tetany in the client who has had a thyroidectomy?

What is the primary action of insulin in the body?

What will the nurse teach the diabetic client regarding exercise in his/her treatment program?

The nurse is caring for a client who has exophthalmos associated with her thyroid disease. What is the cause of exophthalmos?

What is characteristic symptom of hypoglycemia that should alert nurse to an early insulin reaction?

A client is scheduled for routine glycosylated hemoglobin (HbA1c) test. What is important for the nurse to tell the client before this test?

A client has been inhalation vasopressin therapy. What will the nurse evaluate to determine the therapeutic response to this medication?

A client with diagnosis of type 2 diabetes has been ordered a course of prednisone for her severe arthritic pain. An expected change that requires close monitoring by the nurse is

The nurse performing an assessment on a client who has been receiving long-term steroid therapy would expect to find

A diabetic client receives a combination of regular and NPH insulin at 0700 hours. The nurse teaches the client to be alert for signs of hypoglycemia at

It is important for the nurse to teach the client that metformin (Glucophage)

A nurse assessing a client with SIADH would expect to find laboratory values of

A priority nursing diagnostic for a client admitted to the hospital with a diagnosis of diabetes insipidus

is

A client admitted with a pheochromocytoma returns from the operating room after adrenalectomy. The nurse should carefully assess this client for

When caring for client in thyroid crisis, the nurse would question an order for

A client is prescribed levothyroxine (Synthroid) daily. The most important instruction to give the client for administration of this drug is

The nurse would question which medication order for a client with acute-angled glaucoma?

A client tells you she has heard that glaucoma may be a hereditary problem and she is concerned about her adult children. What is the best response?

What will be important to include in the nursing care for the client with angle-closure glaucoma?

A child is scheduled for a myringotomy. What goal of this procedure will the nurse discuss with the parents?

After a client's eye has been anesthetized, what instructions will be important for the nurse to give the client?

A child diagnosed with conjunctivitis. Which statement reflects that the child understood the nurse's teaching?

What medication would the nurse anticipate giving a client with Meniere's disease?

When teaching a family and a client about the use of a hearing aid, the nurse will base the teaching on what information regarding the hearing aid?

What statement by the client recovering from cataract surgery would indicate to the nurse need for additional teaching?

A client is walking down the hall and begins to experience vertigo. What is the most important nursing action when this occurs?

To promote and maintain safety for a client after a stapedectomy. What would be included in the nursing care plan?

The nurse would question the administration of which eye drop in a patient with increased ICP?

A client is being admitted for problems with Meniere's disease. What is most important to the nurse to assess?

A client calls the nurse regarding an accident that just occurred during which an unknown chemical was splashed in his eyes. What is the most important for the nurse to tell the client to do immediately?

A 25-year old woman comes to the clinic complaining of dizziness, weakness and palpitations. What will be important for the nurse to initially evaluate when obtaining the health history?

A child with leukemia is being discharged after beginning chemotherapy. What instructions will the nurse include in the teaching plan for the parents of this child?

Which client is most likely to have iron deficiency anemia?

A client has an order for one unit of whole blood. What is a correct nursing action?

The nurse is caring for a client who is receiving a blood transfusion. The transfusion was started 30 mins ago at a rate of 100 ml/hr. The client begins to complain of low back pain and headache and is increasing restless, what is the first nursing action?

The nurse is preparing to start an IV infusion before the administration of a unit of packed red blood cells, what fluid will the nurse select to maintain the infusion before hanging the unit of blood?

A client in sickle cell crisis is admitted to the emergency department what are the priorities of care?

A client in the ICU has been diagnosed with DIC. The nurse will anticipate administering which of the following fluids?

The nurse is assessing a client who has been given a diagnosis of polycythemia vera. What characteristics will the nurse anticipate finding when assessing this client?

A client has been diagnosed with pernicious anemia what will the nurse teach this client regarding medication he will need to take after he goes home?

First postop day after a right lower lobe (RLL) lobectomy, the client breathes and coughs but has difficulty raising mucus. What indicates that the client is not adequately clearing secretions?

What nursing observations indicate that the cuff on an endotracheal tube is leaking?

The client with COPD is to be discharged home while receiving continuous oxygen at a rate of 2 L/min via cannula. What information does the nurse provide to the client and his wife regarding the use of oxygen at home?

The wife of a client with COPD is worried about caring for her husband at home. Which statement by the nurse provides the most valid information?

Which statement correctly describes suctioning through an endotracheal tube

Medical Surgical Nursing Exam 1 (61) - Medical Surgical Nursing Exam 1 (61) by Nursing Practice Exam 26,796 views 2 years ago 39 minutes - Take this free **Medical Surgical Nursing**, Exam to see

what types of questions are on the **Medical Surgical Nursing**, Exam.

Mrs. Chua a 78 year old client is admitted with the diagnosis of mild chronic heart failure. The nurse expects to hear when listening to client's lungs indicative of chronic heart failure would be Patrick who is hospitalized following a myocardial infarction asks the nurse why he is taking morphine. The nurse explains that morphine

Which of the following should the nurse teach the client about the signs of digitalis toxicity?

Nurse Trisha teaches a client with heart failure to take oral Furosemide in the morning. The reason for this is to help...

What would be the primary goal of therapy for a client with pulmonary edema and heart failure?

Answer: B. The primary goal of therapy for the client with pulmonary edema or heart failure is increasing cardiac output. Pulmonary edema is an acute medical emergency requiring immediate intervention

Nurse Linda is caring for a client with head injury and monitoring the client with decerebrate posturing. Which of the following is a characteristic of this type of posturing?

A female client is taking Cascara Sagrada. Nurse Betty informs the client that the following maybe experienced as side effects of this medication

Dr. Marquez orders a continuous intravenous nitroglycerin infusion for the client suffering from myocardial infarction. Which of the following is the most essential nursing action?

Answer: D. Administration of Intravenous Nitroglycerin infusion requires pump for accurate control of medication

During the second day of hospitalization of the client after a Myocardial Infarction. Which of the following is an expected outcome?

A 68 year old client is diagnosed with a right-sided brain attack and is admitted to the hospital. In caring for this client, the nurse should plan to

Nurse Liza is assigned to care for a client who has returned to the nursing unit after left nephrectomy. Nurse Liza's highest priority would be...

Answer: A. After nephrectomy, it is necessary to measure urine output hourly. This is done to assess the effectiveness of the remaining kidney also to detect renal failure early

A 64 year old male client with a long history of cardiovascular problem including hypertension and angina is to be scheduled for cardiac catheterization. During pre cardiac catheterization teaching, Nurse Cherry should inform the client that the primary purpose of the procedure is.....

During the first several hours after a cardiac catheterization, it would be most essential for nurse Cherry to...

Kate who has undergone mitral valve replacement suddenly experiences continuous bleeding from the surgical incision during postoperative period. Which of the following pharmaceutical agents should Nurse Aiza prepare to administer to Kate?

Answer: A. Protamine Sulfate is used to prevent continuous bleeding in client who has undergone open heart surgery.

In reducing the risk of endocarditis, good dental care is an important measure. To promote good dental care in client with mitral stenosis in teaching plan should include proper use of...

Answer: C. The use of electronic toothbrush, irrigation device or dental floss may cause bleeding of gums, allowing bacteria to enter and increasing the risk of endocarditis.

Among the following signs and symptoms, which would most likely be present in a client with mitral gurgitation?

Kris with a history of chronic infection of the urinary system complains of urinary frequency and burning sensation. To figure out whether the current problem is in renal origin, the nurse should assess whether the client has discomfort or pain in the...

Nurse Perry is evaluating the renal function of a male client. After documenting urine volume and characteristics, Nurse Perry assesses which signs as the best indicator of renal function.

John suddenly experiences a seizure, and Nurse Gina notice that John exhibits uncontrollable jerking movements. Nurse Gina documents that John experienced which type of seizure?

Smoking cessation is critical strategy for the client with Burgher's disease, Nurse Jasmin anticipates that the male client will go home with a prescription for which medication?

Nurse Lilly has been assigned to a client with Raynaud's disease. Nurse Lilly realizes that the etiology of the disease is unknown but it is characterized by

Nurse Jamie should explain to male client with diabetes that self-monitoring of blood glucose is preferred to urine glucose testing because...

Answer: A. Urine testing provides an indirect measure that maybe influenced by kidney function while blood glucose testing is a more direct and accurate measure.

Jessie weighed 210 pounds on admission to the hospital. After 2 days of diuretic therapy, Jessie weighs 205.5 pounds. The nurse could estimate the amount of fluid Jessie has lost...

Nurse Donna is aware that the shift of body fluids associated with Intravenous administration of albumin occurs in the process of

Myrna a 52 year old client with a fractured left tibia has a long leg cast and she is using crutches to ambulate. Nurse Joy assesses for which sign and symptom that indicates complication associated with crutch walking?

Which of the following statements should the nurse teach the neutropenic client and his family to avoid?

A female client is experiencing painful and rigid abdomen and is diagnosed with perforated peptic ulcer. A surgery has been scheduled and a nasogastric tube is inserted. The nurse should place the client before surgery in

Which nursing intervention ensures adequate ventilating exchange after surgery?

George who has undergone thoracic surgery has chest tube connected to a water-seal drainage system attached to suction Presence of excessive bubbling is identified in water-seal chamber, the nurse should...

A client who has been diagnosed of hypertension is being taught to restrict intake of sodium. The nurse would know that the teachings are effective if the client states that...

A male client with a history of cirrhosis and alcoholism is admitted with severe dyspnea resulted to ascites. The nurse should be aware that the ascites is most likely the result of increased...

A newly admitted client is diagnosed with Hodgkin's disease undergoes an excisional cervical lymph node biopsy under local anesthesia. What does the nurse assess first after the procedure?

Answer: C. Assessing for an open airway is the priority. The procedure involves the neck, the anesthesia may have affected the swallowing reflex or the inflammation may have closed in on the airway leading to ineffective air exchange.

A client has 15% blood loss. Which of the following nursing assessment findings indicates hypovolemic shock?

Nurse Lucy is planning to give pre operative teaching to a client who will be undergoing rhinoplasty. Which of the following should be included?

Paul is admitted to the hospital due to metabolic acidosis caused by Diabetic ketoacidosis (DKA). The nurse prepares which of the following medications as an initial treatment for this problem?

Answer: A Metabolic acidosis is anaerobic metabolism caused by lack of ability of the body to use circulating glucose. Administration of insulin corrects this problem

Dr. Marquez tells a client that an increase intake of foods that are rich in Vitamin E and beta-carotene are important for healthier skin. The nurse teaches the client that excellent food sources of both of these substances are

Answer: D. Beta-carotene and Vitamin E are antioxidants which help to inhibit oxidation. Vitamin E is found in the following foods: wheat germ, corn, nuts, seeds, olives, spinach, asparagus and other green leafy vegetables. Food sources of beta-carotene include dark green vegetables, carrots, mangoes and tomatoes.

A client has Gastroesophageal Reflux Disease (GERD). The nurse should teach the client that after every meals, the client should...

After gastroscopy, an adaptation that indicates major complication would be

A client who has undergone a cholecystectomy asks the nurse whether there are any dietary restrictions that must be followed. Nurse Hilary would recognize that the dietary teaching was well understood when the client tells a family member that

Nurse Rachel teaches a client who has been recently diagnosed with hepatitis A about untoward signs and symptoms related to Hepatitis that may develop. The one that should be reported immediately to the physician is

Which of the following antituberculosis drugs can damage the 8th cranial nerve?

Answer: D. Streptomycin is an aminoglycoside and damage on the 8th cranial nerve (ototoxicity) is a common side effect of aminoglycosides.

The client asks Nurse Annie the causes of peptic ulcer. Nurse Annie responds that recent research indicates that peptic ulcers are the result of which of the following

Ryan has undergone subtotal gastrectomy. The nurse should expect that nasogastric tube drainage will be what color for about 12 to 24 hours after surgery?

Nurse Joan is assigned to come for client who has just undergone eye surgery. Nurse Joan plans to teach the client activities that are permitted during the post operative period. Which of the following is best recommended for the client?

A client suffered from a lower leg injury and seeks treatment in the emergency room. There is a prominent deformity to the lower aspect of the leg, and the injured leg appears shorter than the other leg. The affected leg is painful, swollen and beginning to become ecchymotic. The nurse interprets that the client is experiencing

Nurse Jenny is instilling an otic solution into an adult male client left ear. Nurse Jenny avoids doing which of the following as part of the procedure

Nurse Bea should instruct the male client with an ileostomy to report immediately which of the following symptom?

Jerry has diagnosed with appendicitis. He develops a fever, hypotension and tachycardia. The nurse suspects which of the following complications?

Answer: B. Complications of acute appendicitis are peritonitis, perforation and abscess development. Which of the following complications should the nurse carefully monitor a client with acute pancreatitis.

Which of the following symptoms during the icteric phase of viral hepatitis should the nurse expect the client to exhibit?

Answer: B. Liver inflammation and obstruction block the normal flow of bile. Excess bilirubin turns the skin and sclera yellow and the urine dark and frothy

Norcet Special Medical Surgical Nursing Class -3 - Norcet Special Medical Surgical Nursing Class -3 by Ak Online Nursing Classes 233 views Streamed 5 hours ago 58 minutes - Norcet Special **Medical Surgical Nursing**, Class -3.

General Minor Instrument Tray - General Minor Instrument Tray by Surgical Tech Tips 1,326,773 views 6 years ago 18 minutes - Thank YOU for watching my video! I truly hope that you found it insightful and helpful, if you enjoyed the content please think of ...

Intro

Backhouse Towel Clips

Adult Towel Clips

Mosquito

Kelly Clamp

Alice Clamp

Babcock Clamp

Leahy Clamp

Coker

Tonsil

Right Angle

Sponge forceps

Needle holders

Male scissors

Retractors

forceps

outro

Basic Surgical Instruments - Basic Surgical Instruments by Surgical Counts 317,764 views 1 year ago 29 minutes - An introduction to the most common **surgical** instruments. Follow along with this powerpoint: ...

Kelly Clamp

Mayo Scissors

Knife Handle

Beaver Blade Handle

Army-Navy (US Army) Retractor

Parker Retractor

Joseph Skin Hook

Ryder Needle Holder

Webster Needle Holder

Day in the life of a nurse, med-surg edition #medsurg #nurse #minivlogs - Day in the life of a nurse, med-surg edition #medsurg #nurse #minivlogs by Kendra RN 10,047 views 1 year ago 6 minutes, 45 seconds - Every once in a while I pick up shifts on a **med surg** unit for a change in scenery. In this video, I worked on a **med surg** unit, had 3 ...

What Surgical Instruments Come In A Basic Plastic Surgery Tray? | Brown Plastic Surgery - What Surgical Instruments Come In A Basic Plastic Surgery Tray? | Brown Plastic Surgery by Doctor Ricky 7,312 views 3 years ago 3 minutes, 58 seconds - In this video Dr. Brown opens up a basic plastic

surgery, tray, showing some of the **surgical**, instruments he uses in the office!

Intro

Sterilization Card

Needle Driver

Hooks

Scissors

Gastritis and Peptic Ulcer Disease (PUD) - Medical-Surgical (Med-Surg) - Gastrointestinal System -

Gastritis and Peptic Ulcer Disease (PUD) - Medical-Surgical (Med-Surg) - Gastrointestinal System by

Level Up RN 125,659 views 2 years ago 8 minutes, 31 seconds - In this video the following disorders:

gastritis and peptic ulcer disease (PUD). The risk factors, signs/symptoms, diagnosis, and ...

What to Expect

Gastritis

Risk Factors

Signs and Symptoms

Labs and Diagnosis

Treatment

Peptic Ulcer Disease

Risk Factors

Signs and Symptoms

Diagnosis

Treatment

Patient Teaching

Hypovolemic Shock

Perforation

Quiz Time!

What is a Medical Surgical Nurse? | Med-Surg Nurses - What is a Medical Surgical Nurse? | Med-Surg

Nurses by Ang&Nat-Nurses in NYC 40,120 views 3 years ago 12 minutes, 8 seconds - medsurgnurse

#medicinenurse #**medicalsurgical**, We are excited to present another video for you guys! In this

video we discuss ...

Long case presentaion in surgery viva - Long case presentaion in surgery viva by Professor Dr

Javed Iqbal 54,495 views 4 years ago 24 minutes - Training session for preparation of part 2 viva in

surgery,.

important MCQs II Medical surgical nursing II P.B.BSc nursing & all nursing exam preparation part -1

- important MCQs II Medical surgical nursing II P.B.BSc nursing & all nursing exam preparation part

-1 by SHRABANI JANA 2,058 views 3 days ago 27 minutes

Medical Surgical Nursing for NCLEX, ATI and HESI - Medical Surgical Nursing for NCLEX, ATI and

HESI by Nexus Nursing 38,082 views 1 year ago 34 minutes - Learn how to provide safe, quality

medical surgical nursing, care to patients. This video covers content that is often found on ...

Which assessment finding should indicate to a nurse that a client has progression of intermittent claudication?

Which client has the greatest need for K replacement?

A nurse knows that the choice of a topical antimicrobial for a client with burns is most influenced by

Perspective of an EMT transitioning to nursing. Conversation with Simran Jakhu. - Perspective of

an EMT transitioning to nursing. Conversation with Simran Jakhu. by Domino Effect Crew 14 views

Streamed 1 day ago 32 minutes - dominoeffect #domino #haitiancreator #dominoeffectcrew #crew

#dominoeffect #dominoeffect #domino #effect #diaspora ...

Medical Surgical Nursing Exam 2 (62) - Medical Surgical Nursing Exam 2 (62) by Nursing Practice

Exam 7,891 views 2 years ago 37 minutes - Take this free **Medical Surgical Nursing**, Exam to see

what types of questions are on the **Medical Surgical Nursing**, Exam.

Medical-Surgical Nursing Exam 2.

Marco who was diagnosed with brain tumor was scheduled for craniotomy. In preventing the devel-

opment of cerebral edema after surgery, the nurse should expect the use of

Halfway through the administration of blood, the female client complains of lumbar pain. After stopping

the infusion Nurse Hazel should

Nurse Maureen knows that the positive diagnosis for HIV infection is made based on which of the following

Answer: B. These tests confirm the presence of HIV antibodies that occur in response to the presence of the human immunodeficiency virus (HIV)

Nurse Maureen is aware that a client who has been diagnosed with chronic renal failure recognizes

an adequate amount of high-biologic-value protein when the food the client selected from the menu was

Kenneth who has diagnosed with uremic syndrome has the potential to develop complications. Which among the following complications should the nurse anticipates

A client is admitted to the hospital with benign prostatic hyperplasia, the nurse most relevant assessment would be

A client has undergone with penile implant. After 24 hrs of surgery, the client's scrotum was edematous and painful. The nurse should

Nurse hazel receives emergency laboratory results for a client with chest pain and immediately informs the physician. An increased myoglobin level suggests which of the following?

Nurse Maureen would expect the a client with mitral stenosis would demonstrate symptoms associated with congestion in the

A client has been diagnosed with hypertension. The nurse priority nursing diagnosis would be

Answer: A. Managing hypertension is the priority for the client with hypertension. Clients with hypertension frequently do not experience pain, deficient volume, or impaired skin integrity. It is the asymptomatic nature of hypertension that makes it so difficult to treat.

Nurse Hazel teaches the client with angina about common expected side effects of nitroglycerin including

The following are lipid abnormalities. Which of the following is a risk factor for the development of atherosclerosis and PVD?

Which of the following represents a significant risk immediately after surgery for repair of aortic aneurysm?

Nurse Josie should instruct the client to eat which of the following foods to obtain the best supply of Vitamin B12?

Karen has been diagnosed with aplastic anemia. The nurse monitors for changes in which of the following physiologic functions?

Lydia is scheduled for elective splenectomy. Before the clients goes to surgery, the nurse in charge final assessment would be

Answer: B. An elective procedure is scheduled in advance so that all preparations can be completed ahead of time. The vital signs are the final check that must be completed before the client leaves the room so that continuity of care and assessment is provided for

What is the peak age range in acquiring acute lymphocytic leukemia (ALL)?

Answer. A. The peak incidence of Acute Lymphocytic Leukemia (ALL) is 4 years of age. It is uncommon after 15 years of age.

Marie with acute lymphocytic leukemia suffers from nausea and headache. These clinical manifestations may indicate all of the following except

A client has been diagnosed with Disseminated Intravascular Coagulation (DIC). Which of the following is

Which of the following findings is the best indication that fluid replacement for the client with hypovolemic shock is adequate?

Which of the following signs and symptoms would Nurse Maureen include in teaching plan as an early manifestation of laryngeal cancer?

Karina a client with myasthenia gravis is to receive immunosuppressive therapy. The nurse understands that this therapy is effective because it

A female client is receiving IV Mannitol. An assessment specific to safe administration of the said drug is

Answer: C. The osmotic diuretic mannitol is contraindicated in the presence of inadequate renal function or heart failure because it increases the intravascular volume that must be filtered and excreted by the kidney

Patricia a 20 year old college student with diabetes mellitus requests additional information about the advantages of using a pen like insulin delivery devices. The nurse explains that the advantages of these devices over syringes includes

Answer: A. These devices are more accurate because they are easily to used and have improved adherence in insulin regimens by young people because the medication can be administered discreetly

A male client's left tibia was fractured in an automobile accident, and a cast is applied. To assess for damage to major blood vessels from the fracture tibia, the nurse in charge should monitor the client for

Answer: C. Damage to blood vessels may decrease the circulatory perfusion of the toes, this would

indicate the lack of blood supply to the extremity

While performing a physical assessment of a male client with gout of the great toe, Nurse Vivian should assess for additional tophi (urate deposits) on the
Nurse Katrina would recognize that the demonstration of crutch walking with tripod gait was understood when the client places weight on the

Mang Jose with rheumatoid arthritis states, the only time I am without pain is when I lie in bed perfectly still. During the convalescent stage, the nurse in charge with Mang Jose should encourage

A male client has undergone spinal surgery, the nurse should

Marina with acute renal failure moves into the diuretic phase after one week of therapy. During this phase the client must be assessed for signs of developing

Nurse Judith obtains a specimen of clear nasal drainage from a client with a head injury. Which of the following tests differentiates mucus from cerebrospinal fluid (CSF)?

Answer: C. The constituents of CSF are similar to those of blood plasma. An examination for glucose content is done to determine whether a body fluid is a mucus or a CSF. A CSF normally contains glucose.

A 22 year old client suffered from his first tonic-clonic seizure. Upon awakening the client asks the nurse, What caused me to have a seizure? Which of the following would the nurse include in the primary cause of tonic clonic seizures in adults more than 20 years?

Answer: B. Trauma is one of the primary cause of brain damage and seizure activity in adults. Other common causes of seizure activity in adults include neoplasms, withdrawal from drugs and alcohol, and vascular disease.

What is the priority nursing assessment in the first 24 hours after admission of the client with thrombotic CVA?

Nurse Linda is preparing a client with multiple sclerosis for discharge from the hospital to home. Which of the following instruction is most appropriate?

Answer: C. The nurse most positive approach is to encourage the client with multiple sclerosis to stay active, use stress reduction techniques and avoid fatigue because it is important to support the immune system while remaining active.

The nurse is aware the early indicator of hypoxia in the unconscious client is

Answer: D. Restlessness is an early indicator of hypoxia. The nurse should suspect hypoxia in unconscious client who suddenly becomes restless.

A client is experiencing spinal shock. Nurse Myma should expect the function of the bladder to be which of the following?

Which of the following stage the carcinogen is irreversible?

Among the following components thorough pain assessment, which is the most significant?

Answer: D. Intensity is the major indicative of severity of pain and it is important for the evaluation of the treatment.

A 65 year old female is experiencing flare up of pruritus. Which of the client's action could aggravate the cause of flare ups?

Atropine sulfate (Atropine) is contraindicated in all but one of the following client?

Among the following clients, which among them is high risk for potential hazards from the surgical experience?

Nurse Jon assesses vital signs on a client undergone epidural anesthesia. Which of the following would the nurse assess next?

Nurse Katrina should anticipate that all of the following drugs may be used in the attempt to control the symptoms of Meniere's disease except

Which of the following complications associated with tracheostomy tube?

Nurse Faith should recognize that fluid shift in an client with burn injury results from increase in the
Answer: C. In burn, the capillaries and small vessels dilate, and cell damage cause the release of a histamine-like substance. The substance causes the capillary walls to become more permeable and significant quantities of fluid are lost.

An 83-year-old woman has several ecchymotic areas on her right arm. The bruises are probably caused by

Nurse Anna is aware that early adaptation of client with renal carcinoma is

A male client with tuberculosis asks Nurse Brian how long the chemotherapy must be continued.

Nurse Brian's accurate reply would be

Answer: B. Tubercle bacillus is a drug resistant organism and takes a long time to be eradicated. Usually a combination of three drugs is used for minimum of 6 months and at least six months beyond culture conversion

A client has undergone laryngectomy. The immediate nursing priority would be

Answer: A. Patent airway is the most priority; therefore removal of secretions is necessary

Medical Surgical Nursing for NCLEX, ATI and HESI - Medical Surgical Nursing for NCLEX, ATI and HESI by Nexus Nursing 64,918 views 3 years ago 16 minutes - Learn how to provide safe, quality **medical surgical nursing**, care to patients. This video covers content that is often found on ...

Which Comment by the Client Diagnosed To Rule Out Gillian Beret Syndrome Is Most Significant When Completing the Admission Interview

Gillian Beret Syndrome

Copd Patient

Sudden Chest Pain

Medical Surgical Nursing Certification Preparation Tools - Medical Surgical Nursing Certification Preparation Tools by American Nurses Association 10,775 views 5 years ago 24 seconds - Get the tools needed to prepare for your **medical surgical nursing**, certification exam from the ANA Education & Resources team.

Practice Exam for Medical Surgical Nursing 4 (78) - Practice Exam for Medical Surgical Nursing 4 (78) by Nursing Practice Exam 2,178 views 2 years ago 49 minutes - Take this free **Medical Surgical Nursing**, Practice Exam to see what types of questions are on the **Medical Surgical Nursing**, Exam.

The nurse is performing her admission assessment of a patient. When grading arterial pulses, a 1+ pulse indicates

Murmurs that indicate heart disease are often accompanied by other symptoms such as

Answer: A A murmur that indicates heart disease is often accompanied by dyspnea on exertion, which is a hallmark of heart failure. Other indicators are tachycardia, syncope, and chest pain. Subcutaneous emphysema, thoracic petechiae, and perior-bital edema aren't associated with murmurs and heart disease.

Which pregnancy-related physiologic change would place the patient with a history of cardiac disease at the greatest risk of developing severe cardiac problems?

The priority nursing diagnosis for the patient with cardiomyopathy is

A patient with thrombophlebitis reached her expected outcomes of care. Her affected leg appears pink and warm. Her pedal pulse is palpable and there is no edema present. Which step in the nursing process is described above?

Answer: D. Evaluation assesses the effectiveness of the treatment plan by determining if the patient has met the expected treatment outcome. Planning refers to designing a plan of action that will help the nurse deliver quality patient care. Implementation refers to all of the nursing interventions directed toward solving the patient's nursing problems. Analysis is the process of identifying the patient's nursing problems

An elderly patient may have sustained a basilar skull fracture after slipping and falling on an icy sidewalk. The nurse knows that basilar skull fractures

Which of the following types of drugs might be given to control increased intracranial pressure (ICP)?

The nurse is teaching family members of a patient with a concussion about the early signs of increased intracranial pressure (ICP). Which of the following would she cite as an early sign of increased ICP?

Jessie James is diagnosed with retinal detachment. Which intervention is the most important for this patient?

Answer: A. Immediate bed rest is necessary to prevent further injury Both eyes should be patched to avoid consensual eye movement and the patient should receive early referral to an ophthalmologist should treat the condition immediately. Retinal reattachment can be accomplished by surgery only. If the macula is detached or threatened, surgery is urgent; prolonged detachment of the macula results in permanent loss of central vision

Dr. Bruce Owen, a chemist, sustained a chemical burn to one eye. Which intervention takes priority for a patient with a chemical burn of the eye?

The nurse is assessing a patient and notes a Brudzinski's sign and Kernig's sign. These are two classic signs of which of the following disorders?

Answer: B. A positive response to one or both tests indicates meningeal irritation that is present with meningitis. Brudzinski's and Kernig's signs don't occur in CVA, seizure disorder, or Parkinson's disease.

A patient is admitted to the hospital for a brain biopsy. The nurse knows that the most common type of primary brain tumor is

Answer: D. Gliomas account for approximately 45% of all brain tumors. Meningiomas are the second

most common, with 15% Angiomas and hemangioblastomas are types of cerebral vascular tumors that account for 3% of brain tumors.

The nurse should instruct the patient with Parkinson's disease to avoid which of the following?

Gary Jordan suffered a cerebrovascular accident that left her unable to comprehend speech and unable to speak. This type of aphasia is known as

Answer: C. Global aphasia occurs when all language functions are affected. Receptive aphasia, also known as Wernicke's aphasia, affects the ability to comprehend written or spoken words Expressive aphasia, also known as Broca's aphasia, affected the patient's ability to form language and express thoughts. Conduction aphasia refers to abnormalities in speech repetition.

Kelly Smith complains that her headaches are occurring more frequently despite medications.

Patients with a history of headaches should be taught to avoid

Answer: D. Patients with a history of headaches, especially migraines, should be taught to keep a food diary to identify potential food triggers. Typical headache triggers include alcohol, aged cheeses, processed meats, and chocolate and caffeine-containing products.

Immediately following cerebral aneurysm rupture, the patient usually complains of

Which of the following is a cause of embolic brain injury?

Although Ms. Priestly has a spinal cord injury, she can still have sexual intercourse. Discharge teaching should make her aware that

Ivy Hopkins, age 25, suffered a cervical fracture requiring immobilization with halo traction. When caring for the patient in halo traction, the nurse must

The nurse asks a patient's husband if he understands why his wife is receiving nimodipine (Nimotop), since she suffered a cerebral aneurysm rupture. Which response by the husband indicates that he understands the drug's use?

Many men who suffer spinal injuries continue to be sexually active. The teaching plan for a man with a spinal cord injury should include sexually concerns. Which of the following injuries would most likely prevent erection and ejaculation?

Answer: D. Men with spinal cord injury should be taught that the higher the level of the lesion, the better their sexual function will be. The sacral region is the lowest area on the spinal column and injury to this area will cause more erectile dysfunction.

Cathy Bates, age 36, is a homemaker who frequently forgets to take her carbamazepine (Tegretol). As a result, she has been experiencing seizures. How can the nurse best help the patient remember to take her medication?

Richard Barnes was diagnosed with pneumococcal meningitis. What response by the patient indicates that he understands the precautions necessary with this diagnosis?

An early symptom associated with amyotrophic lateral sclerosis (ALS) includes

When caring for a patient with esophageal varices, the nurse knows that bleeding in this disorder usually stems from

Tiffany Black is diagnosed with type A hepatitis. What special precautions should the nurse take when caring for this patient?

Answer: B. The nurse should wear gloves and a gown when removing the patient's bedpan because the type A hepatitis virus occurs in stools. It may also occur in blood, nasotracheal secretions, and urine. Type A hepatitis isn't transmitted through the air by way of droplets. Special precautions aren't needed when feeding the patient, but disposable utensils should be used.

Discharge instructions for a patient who has been operated on for colorectal cancer include irrigating the colostomy The nurse knows her teaching is effective when the patient states he'll contact the doctor if

The nurse explains to the patient who has an abdominal perineal resection that an indwelling urinary catheter must be kept in place for several days afterward because

The first day after surgery the nurse finds no measurable fecal drainage from a patient's colostomy stoma. What is the most appropriate nursing intervention?

If a patient's GI tract is functioning but he's unable to take foods by mouth, the preferred method of feeding is

Answer: C. If the patient's GI tract is functioning, enteral nutrition via a feeding tube is the preferred method. Peripheral and total parenteral nutrition places the patient at risk for infection. If the patient is unable to consume foods by mouth, oral liquid supplements are contraindicated

Which type of solution causes water to shift from the cells into the plasma?

Which assessment finding indicates dehydration?

Which nursing intervention would most likely lead to a hypo-osmolar state?

Which assessment finding would indicate extracellular fluid volume deficit?

A patient with metabolic acidosis has a preexisting problem with the kidneys. Which other organ helps regulate blood pH?

Answer: C. The respiratory and renal systems act as compensatory mechanisms to counteract-base imbalances. The lungs alter the carbon dioxide levels in the blood by increasing or decreasing the rate and depth of respirations, thereby increasing or decreasing carbon dioxide elimination. The liver, pancreas, and heart play no part in compensating for acid-base imbalances

The nurse considers the patient anuric if the patient

Which nursing action is appropriate to prevent infection when obtaining a sterile urine specimen from an indwelling urinary catheter?

After undergoing a transurethral resection of the prostate to treat benign prostatic hypertrophy, a patient is returned to the room with continuous bladder irrigation in place. One day later, the patient reports bladder pain. What should the nurse do first?

A patient comes to the hospital complaining of sudden onset of sharp, severe pain originating in the lumbar region and radiating around the side and toward the bladder. The patient also reports nausea and vomiting and appears pale, diaphoretic, and anxious. The doctor tentatively diagnoses renal calculi and orders flat-plate abdominal X-rays. Renal calculi can form anywhere in the urinary tract. What is their most common formation site?

Answer: A. Renal calculi most commonly form in the kidney. They may remain there or become lodged anywhere along the urinary tract. The ureter, bladder, and urethra are less common sites of renal calculi formation

A patient comes to the hospital complaining of severe pain in the right flank, nausea, and vomiting. The doctor tentatively diagnoses right ureterolithiasis (renal calculi). When planning this patient's care, the nurse should assign highest priority to which nursing diagnosis?

Answer: A. Ureterolithiasis typically causes such acute, severe pain that the patient can't rest and becomes increasingly anxious. Therefore, the nursing diagnosis of pain takes highest priority. Risk for infection and altered urinary elimination are appropriate once the patient's pain is controlled. Altered nutrition: less than body requirements isn't appropriate at this time.

The nurse is reviewing the report of a patient's routine urinalysis. Which of the following values should the nurse consider abnormal?

Answer: B. Normal urine pH is 4.5 to 8; therefore, a urine pH of 3 is abnormal and may indicate such conditions as renal tuberculosis, pyrexia, phenylketonuria, alkaptonuria, and acidosis. Urine specific gravity normally ranges from 1.002 to 1.032, making the patient's value normal. Normally, urine contains no protein, glucose, ketones, bilirubin, bacteria, casts, or crystals.

A patient with suspected renal insufficiency is scheduled for a comprehensive diagnostic work-up. After the nurse explains the diagnostic tests, the patient asks which part of the kidney "does the work." Which answer is correct?

Answer: C. The nephron is the kidney's functioning unit. The glomerulus, Bowman's capsule, and tubular system are components of the nephron

During a shock state, the renin-angiotensin-aldosterone system exerts which of the following effects on renal function?

While assessing a patient who complained of lower abdominal pressure, the nurse notes a firm mass extending above the symphysis pubis. The nurse suspects

Gregg Lohan, age 75, is admitted to the medical- surgical floor with weakness and left-sided chest pain. The symptoms have been present for several weeks after a viral illness. Which assessment finding is most symptomatic of pericarditis?

James King is admitted to the hospital with right-side- heart failure. When assessing him for jugular vein distention, the nurse should position him

The nurse is interviewing a slightly overweight 43-year- old man with mild emphysema and borderline hypertension. He admits to smoking a pack of cigarettes per day. When developing a teaching plan, which of the following should receive highest priority to help decrease respiratory complications?

What is the ratio of chest compressions to ventilations when one rescuer performs cardiopulmonary resuscitation (CPR) on an adult?

Answer: B. The correct ratio of compressions to ventilations when one rescuer performs CPR is 15:2 When assessing a patient for fluid and electrolyte balance, the nurse is aware that the organs most important in maintaining this balance are the

Answer: D. The lungs and kidneys are the body's regulators of homeostasis. The lungs are responsible for removing fluid and carbon dioxide; the kidneys maintain a balance of fluid and electrolytes. The other organs play secondary roles in maintaining homeostasis

Med-Surg Nursing: Top Tips for New Grads - Med-Surg Nursing: Top Tips for New Grads by Kati

Kleber, MSN RN 66,508 views 3 years ago 9 minutes, 9 seconds - As an experienced **med-surg nurse**, I know that getting acclimated on that unit is intimidating. Let's go through my top tips to help ...

Intro

Get a Good Report Sheet

Build rapport with Nursing Assistants

Brush up on disease processes

Time management

Medical Surgical Nursing 25 NCLEX Practice Questions with Rationales for Nursing Students -

Medical Surgical Nursing 25 NCLEX Practice Questions with Rationales for Nursing Students by

NurseStudy Net 17,812 views 2 years ago 23 minutes - 25 **Medical Surgical**, practice NCLEX

Nursing, Exam Questions with Rationales for **nursing**, students. NCLEX Questions and ...

Intro

A nurse is caring for a male client admitted in the CCU due to cardiac dysrhythmia. While the nurse delivers personal care for him, the patient suddenly develops ventricular fibrillation. After calling for help, the nurse should immediately

A client diagnosed with folate deficiency anemia is being discharged. The nurse should primarily recommend which of the following foods to the patient?

A client is admitted with suspected pernicious megaloblastic anemia. The laboratory results are now reported. Which of the following findings confirm the diagnosis of pernicious anemia?

A female client admitted in the coronary care unit (CCU) due to myocardial infarction (MI) has stabilized and is moved with a cardiac monitor via telemetry to the step-down medical unit. The nurse in the medical ward informs the patient that she can perform which of the following activities?

A client is diagnosed with deep vein thrombosis (DVT) and requires IV heparin therapy. While the patient is having this infusion, the nurse should ensure that the nursing unit also has which of the following medications?

An anxious client comes into the emergency room with signs and symptoms of coronary artery disease (CAD). The nurse understands that the first priority of care for this patient is to

A nurse performs a health education session about myocardial infarction (MI) on a high risk client group. Which of the following should the nurse state as the

A male client comes into the medical assessment unit with a complaint of knife-like chest pain. Upon interview, the patient rates the chest pain as 7 to 8 out of 10 at rest. He states that the chest pain worsens during inspiration. Which of the following body systems is the most probable origin of this pain?

A client exhibits signs and symptoms of acute heart failure. Which of the following blood tests is primarily used to detect cardiac damage? Answer: D. Troponin

The physician orders an arterial blood gas (ABG) analysis for a patient with COPD in exacerbation. The nurse performs an Allen's test prior to drawing the blood to ensure that which of the following circulation is adequate?

A female client presents with a productive cough and is suspected to have a respiratory infection. When obtaining a sputum sample from the patient, the nurse must instruct her to perform which of the following actions?

A 45-year old male client with a diagnosis of chronic pancreatitis is admitted in the gastrointestinal unit. The nurse checks the laboratory results and finds which of the following serum amylase levels as indicative of the patient's diagnosis?

A nurse has just finished inserting a new nasogastric tube to a patient suffering from severe dysphagia. Which of the following pH values indicates that the tube placement is correct?

A client who has recently returned from a tour in a developing country is diagnosed with hepatitis. The physician reckons that the patient has contracted this infection from eating contaminated food. Which of the following types of hepatitis is most likely the cause of the infection?

A 53-year old male patient is admitted in the gastrointestinal ward due to a newly diagnosed type 2 diabetes mellitus. Upon initial assessment, the nurse should expect all of the following symptoms, except: A. Increased urination

Mr. Smith has been coming to the diabetes clinic over the past three months to have his glycosylated hemoglobin (HbA1c) test done. He asks the nurse, "How will I know if I am pre-diabetic?" The nurse responds that pre-diabetes is diagnosed at which range of HbA1C?

A 30-year old male client who works as an electrician is rushed into the emergency room following a severe burn injury. The patient has the following vital

How to Pass Medical Surgical Nursing (TOP TIPS for Passing Med Surg) - How to Pass Medical

Surgical Nursing (TOP TIPS for Passing Med Surg) by NursingSOS 61,186 views 4 years ago 19 minutes - How to Pass **Medical Surgical Nursing**, (TOP TIPS for Passing Med Surg) It can be overwhelming when you get to your nursing ...

STEP BY STEP

HARDEST TOPICS

TAKE NOTES FROM THE TEXTBOOK

NURSING ASSESSMENT NURSING INTERVENTIONS

PATHOPHYSIOLOGY SIGNS AND SYMPTOMS NURSING ASSESSMENT

UNDERLYING REASON OR

DROP your expectations

Learn your medications as you go

Write out med cards

Nurse Knowledge Exchange: Med/Surg - Nurse Knowledge Exchange: Med/Surg by Dartmouth Health 76,148 views 8 years ago 6 minutes - Nurse, Knowledge Exchange, also known as change of shift report, is a real time exchange of information that promotes ...

Name this disorder #15: Medical-Surgical SHORT | @LevelUpRN - Name this disorder #15: Medical-Surgical SHORT | @LevelUpRN by Level Up RN 3,567 views 1 year ago 35 seconds – play Short - Name this disorder! Cathy provides clues so you can test your Peds knowledge. #NCLEX #MedSurg #**Medical,-Surgical**, #HESI ...

Practice Exam for Medical Surgical Nursing 1 (75) - Practice Exam for Medical Surgical Nursing 1 (75) by Nursing Practice Exam 2,682 views 2 years ago 51 minutes - Take this free **Medical Surgical Nursing**, Practice Exam to see what types of questions are on the **Medical Surgical Nursing**, Exam.

Following surgery, Mario complains of mild incisional pain while performing deep-breathing and coughing exercises. The nurse's best response would be

The nurse needs to carefully assess the complaint of pain of the elderly because older people Answer: C. experience reduced sensory perception . Degenerative changes occur in the elderly. The response to pain in the elderly maybe lessened because of reduced acuity of touch, alterations in neural pathways and diminished processing of sensory data.

Mary received AtropineSO4 as a pre-medication 30 minutes ago and is now complaining of dry mouth and her PR is higher than before the medication was administered. The nurse's best

Ana's postoperative vital signs are a blood pressure of 80/50 mm Hg, a pulse of 140, and respirations of 32. Suspecting shock, which of the following orders would the nurse question?

Mr. Pablo, diagnosed with Bladder Cancer, is scheduled for a cystectomy with the creation of an ileal conduit in the morning. He is wringing his hands and pacing the floor when the nurse enters his room. What is the best approach?

Answer: D. "Mr. Pablo, you appear anxious to me. How are you feeling about tomorrow's surgery?". The client is showing signs of anxiety reaction to a stressful event. Recognizing the client's anxiety conveys acceptance of his behavior and will allow for verbalization of feelings and concerns.

After surgery, Gina returns from the Post-anesthesia Care Unit (Recovery Room) with a nasogastric tube in place following a gall bladder surgery. She continues to complain of nausea. Which action would the nurse take?

Mr. Perez is in continuous pain from cancer that has metastasized to the bone. Pain medication provides little relief and he refuses to move. The nurse should plan to

A client returns from the recovery room at 9AM alert and oriented, with an IV infusing. His pulse is 82, blood pressure is 120/80, respirations are 20, and all are within normal range. At 10 am and at 11 am, his vital signs are stable. At noon, however, his pulse rate is 94, blood pressure is 116/74, and respirations are 24. What nursing action is most appropriate?

A 56 year old construction worker is brought to the hospital unconscious after falling from a 2-story building. When assessing the client, the nurse would be most concerned if the assessment revealed Which of the ff. statements by the client to the nurse indicates a risk factor for CAD?

Mr. Braga was ordered Digoxin 0.25 mg. OD. Which is poor knowledge regarding this drug?

Valsalva maneuver can result in bradycardia. Which of the following activities will not stimulate Valsalva's maneuver ?

Answer: A. Use of stool softeners. Straining or bearing down activities can cause vagal stimulation that leads to bradycardia. Use of stool softeners promote easy bowel evacuation that prevents straining or the valsalva maneuver.

The nurse is teaching the patient regarding his permanent artificial pacemaker. Which information given by the nurse shows her knowledge deficit about the artificial cardiac pacemaker?

Answer: D. may engage in contact sports. The client should be advised by the nurse to avoid contact sports. This will prevent trauma to the area of the pacemaker generator.

A patient with angina pectoris is being discharged home with nitroglycerine tablets. Which of the following instructions does the nurse include in the teaching?

Answer: Place one Nitroglycerine tablet under the tongue every five minutes for three doses. Go to the hospital if the pain is unrelieved. Angina pectoris is caused by myocardial ischemia related to decreased coronary blood supply. Giving nitroglycerine will produce coronary vasodilation that improves the coronary blood flow in 3-5 mins. If the chest pain is unrelieved, after three tablets, there is a possibility of acute coronary occlusion that requires immediate medical attention

A client with chronic heart failure has been placed on a diet restricted to 2000mg of sodium per day. The client demonstrates adequate knowledge if behaviors are evident such as not salting food and avoidance of which food?

A student nurse is assigned to a client who has a diagnosis of thrombophlebitis. Which action by this team member is most appropriate?

A client receiving heparin sodium asks the nurse how the drug works. Which of the following points would the nurse include in the explanation to the client?

Answer: B. It prevents conversion of factors that are needed in the formation of clots. Heparin is an anticoagulant. It prevents the conversion of prothrombin to thrombin. It does not dissolve a clot.

The nurse is conducting an education session for a group of smokers in a "stop smoking" class. Which finding would the nurse state as a common symptom of lung cancer?

Which is the most relevant knowledge about oxygen administration to a client with COPD?

When suctioning mucus from a client's lungs, which nursing action would be least appropriate?

Dr. Santos prescribes oral rifampin (Rimactane) and isoniazid (NH) for a client with a positive Tuberculin skin test. When informing the client of this decision, the nurse knows that the purpose of this choice of treatment is to

Answer: D. Delay resistance and increase the tuberculostatic effect Pulmonary TB is treated primarily with chemotherapeutic agents for 6-12 mons. A prolonged treatment duration is necessary to ensure eradication of the organisms and to prevent relapse. The increasing prevalence of drug resistance points to the need to begin the treatment with drugs in combination. Using drugs in combination can delay the drug resistance.

Mario undergoes a left thoracotomy and a partial pneumonectomy. Chest tubes are inserted, and one-bottle water- seal drainage is instituted in the operating room. In the postanesthesia care unit Mario is placed in Fowler's position on either his right side or on his back to

A client with COPD is being prepared for discharge. The following are relevant instructions to the client regarding the use of an oral inhaler EXCEPT

A client is scheduled for a bronchoscopy. When teaching the client what to expect afterward, the nurse's highest priority of information would be

The nurse enters the room of a client with chronic obstructive pulmonary disease. The client's nasal cannula oxygen is running at a rate of 6 L per minute, the skin color is pink, and the respirations are 9 per minute and shallow. What is the nurse's best initial action?

The nurse is preparing her plan of care for her patient diagnosed with pneumonia. Which is the most appropriate nursing diagnosis for this patient?

Answer: C. Impaired gas exchange. Pneumonia, which is an infection, causes lobar consolidation thus impairing gas exchange between the alveoli and the blood. Because the patient would require adequate hydration, this makes him prone to fluid volume excess.

A nurse at the weight loss clinic assesses a client who has a large abdomen and a rounded face. Which additional assessment finding would lead the nurse to suspect that the client has Cushing's syndrome rather than obesity?

Which statement by the client indicates understanding of the possible side effects of Prednisone therapy?

The nurse is attending a bridal shower for a friend when another guest, who happens to be a diabetic, starts to tremble and complains of dizziness. The next best action for the nurse to take is to

An adult, who is newly diagnosed with Graves disease, asks the nurse, "Why do I need to take Propranolol (Inderal)?" Based on the nurse's understanding of the medication and Grave's disease, the best response would be

Answer: C. "The medication will block the cardiovascular symptoms of Grave's disease." Propranolol (Inderal) is a beta-adrenergic blocker that controls the cardiovascular manifestations brought about by increased secretion of the thyroid hormone in Grave's disease

During the first 24 hours after thyroid surgery, the nurse should include in her care

On discharge, the nurse teaches the patient to observe for signs of surgically induced hypothyroidism. The nurse would know that the patient understands the teaching when she states she should notify the MD if she develops

What is the best reason for the nurse in instructing the client to rotate injection sites for insulin?

Which of the following would be inappropriate to include in a diabetic teaching plan?

Included in the plan of care for the immediate post- gastroscopy period will be

Which description of pain would be most characteristic of a duodenal ulcer?

The client underwent Billroth surgery for gastric ulcer. Post-operatively, the drainage from his NGT is thick and the volume of secretions has dramatically reduced in the last 2 hours and the client feels like vomiting. The most appropriate nursing action is to

After Billroth II Surgery, the client developed dumping syndrome. Which of the following should the nurse exclude in the plan of care?

The laboratory of a male patient with Peptic ulcer revealed an elevated titer of Helicobacter pylori.

Which of the following statements indicate an understanding of this data?

What instructions should the client be given before undergoing a paracentesis?

The husband of a client asks the nurse about the protein-restricted diet ordered because of advanced liver disease. What statement by the nurse would best explain the purpose of the diet?

Answer: A. The liver cannot rid the body of ammonia that is made by the breakdown of protein in the digestive system. The largest source of ammonia is the enzymatic and bacterial digestion of dietary and blood proteins in the GI tract. A protein-restricted diet will therefore decrease ammonia production

Which of the drug of choice for pain controls the patient with acute pancreatitis?

Immediately after cholecystectomy, the nursing action that should assume the highest priority is

A Sengstaken-Blakemore tube is inserted in the effort to stop the bleeding esophageal varices in a patient with complicated liver cirrhosis. Upon insertion of the tube, the client complains of difficulty of breathing. The first action of the nurse is to

The client presents with severe rectal bleeding, 16 diarrheal stools a day, severe abdominal pain, tenesmus and dehydration. Because of these symptoms the nurse should be alert for other problems associated with what disease?

A client is being evaluated for cancer of the colon. In preparing the client for barium enema, the nurse should

The client has a good understanding of the means to reduce the chances of colon cancer when he states

Days after abdominal surgery, the client's wound dehisces. The safest nursing intervention when this occurs is to

An intravenous pyelogram reveals that Paulo, age 35, has a renal calculus. He is believed to have a small stone that will pass spontaneously. To increase the chance of the stone passing, the nurse would instruct the client to force fluids and to

Search filters

Keyboard shortcuts

Playback

General

Subtitles and closed captions

Spherical videos